MASTER CLASS PATCHCORDS

Master Class fiber optic patchcords are specifically designed to measure and test telecommunication networks and optical elements. The Master Patchcord is equipped with the highest quality master connector of tightly controlled concentricity and bore angle as well as the end face geometric parameters, which determine very low Insertion Loss and high connection repeatability.

Optical measurements, in accordance with PN-EN 61280-4-2/-4-1, PN-ISO/IEC 14763-3, ITU-T G.650.3 require the use of the Master Class patchcord. Patchcords can be terminated with two connectors of Master Class or a mixed option: a connector of the Master Class - a standard connector, polished of the Gold Grade. Fibrain Master Class of fiber optic connectors can be characterized by very low Insertion Loss and increased control of the ferrule's and face geometry. The control over the end face geometry after polishing process of a fiber optic termination provides the following benefits: guarantees optical performance, minimizes IL, and minimizes back reflection.

Series	Connector A		Connector B		Length	Cable	Fiber	Diameter	Color	
	Class	Туре	Class	Туре	[m]	Cable	ribei	Diameter	COIOI	
MP	M Master	SC	M Master*	SC	001.0	SX patchcord simplex	A SMF G.652D	18 1.8mm	Υ	
		SCA	G Gold	SCA			D G657A1			
		LC		LC						
		LCA		LCA						
		FC		FC						
		FCA		FCA						
				E2						
				E2A						
				ST						
				MU						
				DIN						

^{*} Master Connectors in accordance with the table of availability

MP-MSCA-MSCA-002.0-SX-A-18-Y Fibrain Master Class Patchcord, with SC APC Master class Connectors at both side, simplex, 2m length, G.652D, cable diameter 1.8mm, yellow coat.



+++ Features

- → Comply with IEC. TIA/EIA requirements
- High quality and repeatability of the transmission parameters
- → High quality ceramic ferrules with tightly cor trolled concentricity and bore angle,
- \rightarrow Very low IL value, $IL_{TVD} \leq 0.05 \text{ d}$
- → Connectors are constructed from high quality platic, resistant to corrosion and high temperatures with UL94-V0 flammability index.

>_ Applications

- → Measurements concerning telecommunication networks.
- → Testing optical devices,
- Measuring equipment
- → CWDM networks
- → Local area network (LAN)
- → FTTx. FTTD. FTTB. FTTH networks.
- → CATV solutions

Technical specifications

Parameter	SM PC Connectors	SM APC Connectors
Insertion Loss _{MAX} Acc. IEC 61300-3-34	≤ 0.10 dB	≤ 0.10 dB
Insertion Loss _{97%} Acc. IEC 61300-3-34	≤ 0.07 dB	≤ 0.07 dB
Insertion Loss _{MEAN} Acc. IEC 61300-3-34	≤ 0.05 dB	≤ 0.05 dB
Return Loss Acc. IEC 61300-3-6	≥ 55 dB	≥ 65 dB

Master Connector End Face Geometry

Parameter	SM PC Connectors	SM APC Connectors	
Concentricity	≤ 0.30 µm	≤ 0.30 µm	
Bore angle	≤ 0.20 degree	≤ 0.20 degree	
Apex Offset (AO)	≤ 30 µm	≤ 30 µm	
Radius of Curvature	10 ≤ ROC ≤ 20 mm @ SC	7 < ROC < 12 mm	
(ROC)	7 ≤ ROC ≤ 25 mm @ LC	/ ≤ KUC ≤ 12 IIIIII	
Fiber Height (FH)	-30.0 ≤ FH ≤ +30.0 nm	-30.0 ≤ FH ≤ +30.0 nm	
Angle (AN)	-	7.7 ≤ AN ≤8.3 degree	




MASTER CLASS PATCHCORDS & PIGTAILS

Available connectors

Connector type	Master Class	Gold Grade
SC PC	⊗	⊗
SC APC	⊗	⊗
LC PC	⊗	⊗
LC APC	⊗	⊗
FC PC	⊗	⊗
FC APC	⊗	⊗
ST PC	-	⊗
E2000 PC	-	⊗
E2000 APC	-	⊗
DIN	-	⊗
MU	-	⊗

Detailed reports containing test results with individual measurements of Insertion Loss (IL) and Return Loss (RL) as well as end face geometry are attached with Master Class Patchcords.



> Applications

- Testing optical devices,

Technical specifications

Parameter	SM PC Connectors	SM APC Connectors
Insertion Loss _{MAX} Acc. IEC 61300-3-34	≤ 0.10 dB	≤ 0.10 dB
Insertion Loss _{97%} Acc. IEC 61300-3-34	≤ 0.07 dB	≤ 0.07 dB
Insertion Loss _{MEAN} Acc. IEC 61300-3-34	≤ 0.05 dB	≤ 0.05 dB
Return Loss Acc. IEC 61300-3-6	≥ 55 dB	≥ 65 dB

Master Connector End Face Geometry

Parameter	SM PC Connectors	SM APC Connectors	
Concentricity	≤ 0.30 µm	≤ 0.30 µm	
Bore angle	≤ 0.20 degree	≤ 0.20 degree	
Apex Offset (AO)	≤ 30 µm	≤ 30 µm	
Radius of Curvature	10 ≤ ROC ≤ 20 mm @ SC	7 < ROC < 12 mm	
(ROC)	7 ≤ ROC ≤ 25 mm @ LC	/ \(\text{ROC} \(\text{S} \)	
Fiber Height (FH)	-30.0 ≤ FH ≤ +30.0 nm	-30.0 ≤ FH ≤ +30.0 nm	
Angle (AN)	-	7.7 ≤ AN ≤8.3 degree	

